Company	Name						
Crop Nan		SAFFLOWER					
Variety N							
Types of '	Variety:						
	composite/ synthetic/ improved/						
Single cro	oss/ Double cross)						
				Hybrid/Re			
No.	Characteristics	States	Note	search Variety	Female	Male	
1	2	3	4	5	6	7	
	First leaf: Length of blade (cm)	Very short (<6)	1				
		Short (6-8)	3				
1		Medium (8.1-10)	5				
		Long (10.1-12)	7				
		Very long (>12)	9				
		Very narrow (<1.5)	1				
		Narrow (1.5-2.0)	3				
2	First leaf: Width of blade (cm)	Medium (2.1-2.5)	5				
		Broad (2.51-3.0)	7				
		Very broad (>3.0)	9				
		Very low (<1.5)	1				
3	First leaf: Ratio (Length/width of blade)	Medium (2.51-3.5)	5				
3		High (3.51-4.5)	7				
		Very high (>4.5)	9				
	First leaf: Dentations	Absent/very weak	1				
		Weak	3				
4		Medium	5				
		Strong	7				
		Very strong	9				
		Very early(<65)	1				
	Plant : Time of 50% flowering (days)	Early (65-75)	3				
5		Medium(76-85)	5				
		Late (86-95)	7				
		Very late (>95)	9				
		White	1				
6	Petal : Colour	Pale yellow	2]			
		Yellow	3				
		Orange	4				
		Grey white	1				
	Petal : Change of colour (Faded stage)	Pinkish white	2				
7		Golden yellow	3]			
		Orange	4				
		Red	5				
	Leaf: Length of blade (cm)	Very short(<4)	1				
		Short(4-8)	3]			
8		Medium(8.1-12)	5				
		Long(12.1-16)	7				
		Very long (>16)	9				
	Leaf: Width of blade (cm)	Very narrow(<2)	1				
		Narrow(2-3)	3				
9		Medium(3.1-4)	5				
		Broad(4.1-5)	7				
		Very broad(>5)	9				

No.	Characteristics	States	Note	Hybrid/Re search Variety	Female	Male
1	2	3	4	5	6	7
10	Leaf: Ratio (Length/ width of blade)	Very low (<1.5)	1			
		Low(1.5-2.5)	3	1		
		Medium(2.51-3.5)	5	1		
		High(3.51-4.5)	7	1		
		Very high(>4.5)	9	1		
	Leaf: Shape	Fusiform	1			
		Ovate	2	1		
11		Elliptic	3	1		
		Obovate	4	1		
		Absent/very few	1			
	Leaf: Number of spines	Few	3	1		
12		Medium	5	-		
12		Many	7	-		
				-		
		Very many	9	-		
		Absent	1	-		
	v an	Weak	3	-		
13	Leaf: Dentations	Medium	5	4		
		Strong	7	4		
	1	Very strong	9			
	Capitulum : Length of outer involucral	Short(<2.5)	3	1		
14	bract of main capitula(cm)	Medium(2.5-5.0)	5	1		
		Long(>5.0)	7			
15	Capitulum : Width of outer involveral	Narrow(<1.5)	3			
	Capitulum: Width of outer involucral bract of main capitula(cm)	Medium(1.5-2.0)	5			
	bract of main capitula(cm)	Broad(>2.0)	7	1		
		Low(<2)	3			
16	Capitulum: Ratio of length/width of	Medium(2.0-3.0)	5	1		
	outer involucral bract	High(>3.0)	7	1		
	Capitulum: Number of spines on outer involucral bract of main capitula	Absent	1			
17		Sparse	3	1		
		Dense	5	1		
	<u>† </u>	Small (<2.0)	3			
18	Capitulum : Diameter of main capitula (cm)	Medium(2.0-2.5)	5	1		
		Large (>2.5)	7	1		
		Very short (<6)	1			
	Plant : Height of insertion of first	Short (6-15)	3	-		
19		Medium(16-25)	5	-		
19	branch (From ground level)(cm)		7	-		
		Tall (26-35)		-		
		Very tall (>35)	9			
	Plant : Length of longest primary branch	Very short (<40)	1	-		
		Short (40-45)	3	-		
20		Medium(45.1-50)	5	-		
		Long (50.1-55)	7	4		
		Very long (>55)	9			
21	Plant : Height upto main capitula (cm)	Very short (<51)	1	_		
		Short (51-60)	3	_[
		Medium (61-70)	5	_[
		Tall (71-80)	7]		
		Very tall (>80)	9	1		

No.	Characteristics	States	Note	Hybrid/Re search Variety	Female	Male
1	2	3	4	5	6	7
	Seed: Weight of 1000 seeds (g)	Very low (<41)	1			
		Low (41-50)	3			
22		Medium(51-60)	5]		
		High (61-70)	7]		
		Very high (>70)	9			
	Seed : Colour	White	1			
23		White yellowish	2			
		Brown yellowish	3			
		Brown	4			
	Seed : Number/ main capitula	Low (<15)	3			
24		Medium (15-30)	5			
		High (>30)	7			
25	Seed: Hull content (%)	Low (<40)	3			
		Medium (40-50)	5			
		High (>50)	7			
	Seed : Oil content (%)	Low (<25)	3			
26		Medium(25-30)	5			
		High (31-33)	7			
		Very high(>33)	9	1		